

FIG. 1







FIG. 2

BEST AVAILABLE COPY




FIG. 3

BEST AVAILABLE COPY




FIG. 4

BEST AVAILABLE COPY




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12


HeLa M9-3 cells

In the presence of B

0 ug/ml

50 ug/ml

25 ug/ml CHX



0 ug/ml

50 ug/ml

25 ug/ml CHX

without B

FIG. 13


H9C2 cells

in the presence of B

0 ug/ml

2.5 ug/ml

25 ug/ml CHX



0 ug/ml

2.5 ug/ml

without B

FIG. 14




FIG. 15





FIG. 16



Independent experiments
(S1:Control; S2:0.1mM
B ; S3:1 mM B)

FIG. 17




FIG. 18




FIG. 19

BEST AVAILABLE COPY




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26

BEST AVAILABLE COPY





FIG. 27

BEST AVAILABLE COPY

Vehicle



B




FIG. 28

BEST AVAILABLE COPY




FIG. 29

BEST AVAILABLE COPY